

By Suren Manvelyan, http://www.surenmanvelyan.com/gallery/7116




By Suren Manvelyan, http://www.surenmanvelyan.com/gallery/7116




By Suren Manvelyan, http://www.surenmanvelyan.com/gallery/7116




By Suren Manvelyan, http://www.surenmanvelyan.com/gallery/7116







By Suren Manvelyan, http://www.surenmanvelyan.com/gallery/7116



By Suren Manvelyan, http://www.surenmanvelyan.com/gallery/7116






Heterochromia iridum

From Wikipedia, the free encyclopedia

Not to be confused with Heterochromatin or Dichromatic (disambiguation).

In anatomy, **heterochromia** (ancient Greek: ἔτερος, *héteros*, different + χρώμα, *chróma*, $color^{[1]}$) is a difference in coloration, usually of the iris but also of hair or skin. Heterochromia is a result of the relative excess or lack of melanin (a pigment). It may be inherited, or caused by genetic mosaicism, chimerism, disease, or injury.^[2]

Heterochromia of the eye (heterochromia iridis or heterochromia iridum) is of three kinds. In complete heterochromia, one iris is a different color from the other. In sectoral heterochromia, part of one iris is a different color from its remainder and finally in "central heterochromia" there are spikes of different colours radiating from the pupil.



The Spectrum of Biological Inspiration



Radar



Lidar



Traditional cameras



Tesla autopilot



Humanoid and Quadruped robots

Less biologically inspired

More biologically inspired

Interest Points and Corners


Computer Vision

James Hays


Read Szeliski 7.1.1 and 7.1.2

Correspondence across views

 Correspondence: matching points, patches, edges, or regions across images



Example: estimating "fundamental matrix" that corresponds two views




Application: structure from motion



Invariant Local Features


Image content is transformed into local feature coordinates that are invariant to translation, rotation, scale, and other imaging parameters



Features Descriptors

Sparse Matching

DINOv2's frozen features are relevant to recognize the main objects in an image and to consistently encode similar parts across images. Here we match most similar patches across two images.






Project 2: interest points and local features


I use "interest points" and "keypoints" and "SIFT features" interchangeably

This class: interest points

- Suppose you have to click on some point, go away and come back after I deform the image, and click on the same points again.
 - Which points would you choose?



Overview of Keypoint Matching



1. Find a set of distinctive keypoints

2. Compute a local descriptor from the region around each keypoint

3. Match local descriptors

Goals for Keypoints



Detect points that are repeatable and distinctive

Why extract features?

- Motivation: panorama stitching
 - We have two images how do we combine them?






Local features: main components


1) Detection: Identify the interest points




2) Description: Extract vector feature descriptor surrounding each interest point. $\mathbf{x}_1 = [x_1^{(1)}, \dots, x_d^{(1)}]$



3) Matching: Determine correspondence between descriptors in two views



Characteristics of good features





Repeatability

- The same feature can be found in several images despite geometric and photometric transformations
- Saliency
 - Each feature is distinctive
- Compactness and efficiency
 - Many fewer features than image pixels
- Locality
 - A feature occupies a relatively small area of the image; robust to clutter and occlusion

Goal: interest operator repeatability

 We want to detect (at least some of) the same points in both images.






No chance to find true matches!

• Yet we have to be able to run the detection procedure *independently* per image.

Goal: descriptor distinctiveness

 We want to be able to reliably determine which point goes with which.



 Must provide some invariance to geometric and photometric differences between the two views.

Local features: main components

1) Detection: Identify the interest points



2) Description:Extract vector feature descriptor surrounding each interest point.

3) Matching: Determine correspondence between descriptors in two views

Many Existing Detectors Available

Hessian & Harris

Laplacian, DoG

Harris-/Hessian-Laplace

Harris-/Hessian-Affine

EBR and IBR

MSER

Salient Regions

Others...

[Beaudet '78], [Harris '88]

[Lindeberg '98], [Lowe 1999]

[Mikolajczyk & Schmid '01]

[Mikolajczyk & Schmid '04]


[Tuytelaars & Van Gool '04]

[Matas '02]


[Kadir & Brady '01]

Corner Detection: Basic Idea


- We should easily recognize the point by looking through a small window
- Shifting a window in *any direction* should give *a large change* in intensity



"flat" region: no change in all directions




"edge":
no change along
the edge
direction




"corner":
significant
change in all
directions

Source: A. Efros


- First, cornerness is a property of a "patch", not a single pixel
- Let's look for patches that have high gradients in the x and y directions.



"flat" region: no gradients




"edge":
gradients in one
direction




"corner":
gradients in both
directions

Reminder: gradients measured with filtering




1	0	-1
2	0	-2
1	0	-1

Sobel




Vertical Edge (absolute value)

Reminder: gradients measured with filtering




1	2	1
0	0	0
-1	-2	-1

Sobel




Horizontal Edge (absolute value)


- First, cornerness is a property of a "patch", not a single pixel
- Let's look for patches that have high gradients in the x and y directions.




"flat" region: no gradients



"edge":
gradients in one
direction




"corner":
gradients in both
directions




"edge": gradients in both directions


 Let's look for patches that have high gradients in the x and y directions. Not a sufficient strategy




"flat" region: no gradients



"edge": gradients in one direction




"corner":
gradients in both
directions




"edge": gradients in both directions


 Let's write down what the gradients actually look like in different scenarios




"flat" region: no gradients



"edge": gradients in one direction




"corner":
gradients in both
directions




"edge": gradients in both directions

Corner Detection: Baseline strategies


- For a patch to be a corner, the gradient distribution needs to be full rank
- We should check more than 2 pixels
- How do we measure this rank?




"flat" region: no gradients



"edge":
gradients in one
direction



"corner":
gradients in both
directions




"edge": gradients in both directions

Source: James Hays

Eigenvalues tell us the rank

```
I = [-5, 0
0, 3
-3, 0
5, 5
...
...]
```




https://en.wikipedia.org/wiki/Eigenvalues_and_eigenvectors

Corners as distinctive interest points

$$M = \sum w(x, y) \begin{bmatrix} I_x I_x & I_x I_y \\ I_x I_y & I_y I_y \end{bmatrix}$$

2 x 2 matrix of image derivatives (averaged in neighborhood of a point).








$$I_x \Leftrightarrow \frac{\partial I}{\partial x}$$



$$I_{y} \Leftrightarrow \frac{\partial I}{\partial y}$$



$$I_x I_y \Leftrightarrow \frac{\partial I}{\partial x} \frac{\partial I}{\partial y}$$

$$M = \begin{bmatrix} \sum_{I_x I_x}^{I_x I_x} & \sum_{I_y I_y}^{I_x I_y} \\ \sum_{I_x I_y}^{I_x I_y} & \sum_{I_y I_y}^{I_y I_y} \end{bmatrix} = \sum_{I_x I_y}^{I_x I_y} [I_x I_y] = \sum_{I_x I_y}^{I_x I_y} \nabla_{I_x I_y}^{I_x I_y}$$

Using a Taylor Series expansion of the image function $I_0(\mathbf{x}_i + \Delta \mathbf{u}) \approx I_0(\mathbf{x}_i) + \nabla I_0(\mathbf{x}_i)$. Δu (Lucas and Kanade 1981; Shi and Tomasi 1994), we can approximate the auto-correlation surface as

$$E_{AC}(\Delta \mathbf{u}) = \sum_{i} w(\mathbf{x}_{i}) [I_{0}(\mathbf{x}_{i} + \Delta \mathbf{u}) - I_{0}(\mathbf{x}_{i})]^{2}$$

$$\approx \sum_{i} w(\mathbf{x}_{i}) [I_{0}(\mathbf{x}_{i}) + \nabla I_{0}(\mathbf{x}_{i}) \cdot \Delta \mathbf{u} - I_{0}(\mathbf{x}_{i})]^{2}$$

$$= \sum_{i} w(\mathbf{x}_{i}) [\nabla I_{0}(\mathbf{x}_{i}) \cdot \Delta \mathbf{u}]^{2}$$

$$(7.3)$$

$$(7.4)$$

$$\approx \sum_{i} w(\mathbf{x}_{i}) [I_{0}(\mathbf{x}_{i}) + \nabla I_{0}(\mathbf{x}_{i}) \cdot \Delta \mathbf{u} - I_{0}(\mathbf{x}_{i})]^{2}$$
 (7.4)

$$= \sum_{i} w(\mathbf{x}_{i}) [\nabla I_{0}(\mathbf{x}_{i}) \cdot \Delta \mathbf{u}]^{2}$$
(7.5)

$$= \Delta \mathbf{u}^T \mathbf{A} \Delta \mathbf{u},\tag{7.6}$$

where

$$\nabla I_0(\mathbf{x}_i) = \left(\frac{\partial I_0}{\partial x}, \frac{\partial I_0}{\partial y}\right)(\mathbf{x}_i) \tag{7.7}$$

is the *image gradient* at x_i . This gradient can be computed using a variety of techniques (Schmid, Mohr, and Bauckhage 2000). The classic "Harris" detector (Harris and Stephens 1988) uses a [-2 -1 0 1 2] filter, but more modern variants (Schmid, Mohr, and Bauckhage 2000; Triggs 2004) convolve the image with horizontal and vertical derivatives of a Gaussian (typically with $\sigma = 1$).

The auto-correlation matrix **A** can be written as

$$\mathbf{A} = w * \begin{bmatrix} I_x^2 & I_x I_y \\ I_x I_y & I_y^2 \end{bmatrix}, \tag{7.8}$$

Different derivations exist.

This is the textbook version.

Interpreting the second moment matrix


The surface E(u,v) is locally approximated by a quadratic form. Let's try to understand its shape.

$$E(u,v) \approx [u \ v] \ M \begin{bmatrix} u \\ v \end{bmatrix}$$

$$M = \sum_{x,y} w(x,y) \begin{bmatrix} I_x^2 & I_x I_y \\ I_x I_y & I_y^2 \end{bmatrix}$$

Interpreting the second moment matrix

Consider a horizontal "slice" of E(u, v): $\begin{bmatrix} u & v \end{bmatrix} M \begin{bmatrix} u \\ v \end{bmatrix} = \text{const}$ This is the equation of an ellipse.




Interpreting the second moment matrix

Consider a horizontal "slice" of E(u, v): $\begin{bmatrix} u & v \end{bmatrix} M \begin{bmatrix} u \\ v \end{bmatrix} = \text{const}$


This is the equation of an ellipse.

Diagonalization of M:
$$M = R^{-1} \begin{vmatrix} \lambda_1 & 0 \\ 0 & \lambda_2 \end{vmatrix} R$$

The axis lengths of the ellipse are determined by the eigenvalues and the orientation is determined by *R*




If you're not comfortable with Eigenvalues and Eigenvectors, Gilbert Strang's linear algebra lectures are linked from the course homepage



Lecture 21: Eigenvalues and eigenvectors

Interpreting the eigenvalues

Classification of image points using eigenvalues of *M*:




Corner response function

$$R = \det(M) - \alpha \operatorname{trace}(M)^{2} = \lambda_{1}\lambda_{2} - \alpha(\lambda_{1} + \lambda_{2})^{2}$$

 α : constant (0.04 to 0.06)

$$M = \sum_{x,y} w(x,y) \begin{bmatrix} I_x^2 & I_x I_y \\ I_x I_y & I_y^2 \end{bmatrix}$$




Harris corner detector

- 1) Compute *M* matrix for each image window to get their *cornerness* scores.
- 2) Find points whose surrounding window gave large corner response (*f*> threshold)
- 3) Take the points of local maxima, i.e., perform non-maximum suppression

Harris Detector [Harris88]

Second moment matrix



$$\mu(\sigma_{I}, \sigma_{D}) = g(\sigma_{I}) * \begin{bmatrix} I_{x}^{2}(\sigma_{D}) & I_{x}I_{y}(\sigma_{D}) \\ I_{x}I_{y}(\sigma_{D}) & I_{y}^{2}(\sigma_{D}) \end{bmatrix}$$
 1. Image derivatives (optionally, blur first)






$$\det M = \lambda_1 \lambda_2$$

$$\operatorname{trace} M = \lambda_1 + \lambda_2$$

2. Square of derivatives







3. Gaussian filter $g(\sigma_i)$







4. Cornerness function – both eigenvalues are strong


$$har = \det[\mu(\sigma_{I}, \sigma_{D})] - \alpha[\operatorname{trace}(\mu(\sigma_{I}, \sigma_{D}))^{2}] =$$

$$g(I_{x}^{2})g(I_{y}^{2}) - [g(I_{x}I_{y})]^{2} - \alpha[g(I_{x}^{2}) + g(I_{y}^{2})]^{2}$$

5. Non-maxima suppression




- Can't we just check for regions with lots of gradients in the x and y directions?
 - No! A diagonal line would satisfy that criteria



Harris Detector [Harris88]

Second moment matrix



$$\mu(\sigma_{I}, \sigma_{D}) = g(\sigma_{I}) * \begin{bmatrix} I_{x}^{2}(\sigma_{D}) & I_{x}I_{y}(\sigma_{D}) \\ I_{x}I_{y}(\sigma_{D}) & I_{y}^{2}(\sigma_{D}) \end{bmatrix}$$
 1. Image derivatives (optionally, blur first)






$$\det M = \lambda_1 \lambda_2$$

$$\operatorname{trace} M = \lambda_1 + \lambda_2$$

2. Square of derivatives








3. Gaussian filter $g(\sigma_l)$








4. Cornerness function – both eigenvalues are strong

$$har = \det[\mu(\sigma_{I}, \sigma_{D})] - \alpha[\operatorname{trace}(\mu(\sigma_{I}, \sigma_{D}))^{2}] =$$


$$g(I_{x}^{2})g(I_{y}^{2}) - [g(I_{x}I_{y})]^{2} - \alpha[g(I_{x}^{2}) + g(I_{y}^{2})]^{2}$$

5. Non-maxima suppression






$$\begin{bmatrix} C & -C \\ -C & C \end{bmatrix}$$



$$\begin{bmatrix} C & 0 \\ 0 & 0 \end{bmatrix}$$




$$\begin{bmatrix} C & 0 \\ 0 & C \end{bmatrix}$$

We will measure x gradients by filtering with:

1	0	-1
2	0	-2
1	0	-1

We will measure y gradients by filtering with:

1	2	1
0	0	0
-1	-2	-1




$$\begin{bmatrix} C & 0 \\ 0 & C \end{bmatrix}$$

We will measure x gradients by filtering with:

-1	0	1
-2	0	2
-1	0	1

We will measure y gradients by filtering with:

-1	-2	-1
0	0	0
1	2	1



0	-4	0	4	0
0	-4	0	4	0
0	-2	0	2	0
0	-4	0	4	0
0	-4	0	4	0

$$I_x \Leftrightarrow \frac{\partial I}{\partial x}$$

$$I_{y} \Leftrightarrow \frac{\partial I}{\partial y}$$


$$I_x I_y \Leftrightarrow \frac{\partial I}{\partial x} \frac{\partial I}{\partial y}$$

We will measure x gradients by filtering with:

-1	0	1
-2	0	2
-1	0	1

We will measure y gradients by filtering with:

-1	-2	-1
0	0	0
1	2	1



0	-4	0	4	0
0	-4	0	4	0
0	-2	0	2	0
0	-4	0	4	0
0	-4	0	4	0

$$I_x \Leftrightarrow \frac{\partial I}{\partial x}$$

0	0	0	0	0
-4	-4	-2	-4	-4
0	0	0	0	0
4	4	2	4	4
0	0	0	0	0

$$I_{y} \Leftrightarrow \frac{\partial I}{\partial y}$$


$$I_x I_y \Leftrightarrow \frac{\partial I}{\partial x} \frac{\partial I}{\partial y}$$

We will measure x gradients by filtering with:

-1	0	1
-2	0	2
-1	0	1

We will measure y gradients by filtering with:

-1	-2	-1
0	0	0
1	2	1



0	-4	0	4	0
0	-4	0	4	0
0	-2	0	2	0
0	-4	0	4	0
0	-4	0	4	0


$$\int_{-\infty}^{\infty} I_x \Leftrightarrow \frac{\partial I}{\partial x}$$

0	0	0	0	0
-4	-4	-2	-4	-4
0	0	0	0	0
4	4	2	4	4
0	0	0	0	0

$$I_{y} \Leftrightarrow \frac{\partial I}{\partial y}$$

$$M = \sum w(x, y) \begin{bmatrix} I_x I_x & I_x I_y \\ I_x I_y & I_y I_y \end{bmatrix}$$


$$I_x I_y \Leftrightarrow \frac{\partial I}{\partial x} \frac{\partial I}{\partial y}$$



$$\begin{bmatrix} C & 0 \\ 0 & C \end{bmatrix}$$

Harris Detector [Harris88]

Second moment matrix



$$\mu(\sigma_{I}, \sigma_{D}) = g(\sigma_{I}) * \begin{bmatrix} I_{x}^{2}(\sigma_{D}) & I_{x}I_{y}(\sigma_{D}) \\ I_{x}I_{y}(\sigma_{D}) & I_{y}^{2}(\sigma_{D}) \end{bmatrix}$$
 1. Image derivatives (optionally, blur first)






$$\det M = \lambda_1 \lambda_2$$

$$\operatorname{trace} M = \lambda_1 + \lambda_2$$

2. Square of derivatives








3. Gaussian filter $g(\sigma_l)$







4. Cornerness function – both eigenvalues are strong

$$har = \det[\mu(\sigma_{I}, \sigma_{D})] - \alpha[\operatorname{trace}(\mu(\sigma_{I}, \sigma_{D}))^{2}] =$$


$$g(I_{x}^{2})g(I_{y}^{2}) - [g(I_{x}I_{y})]^{2} - \alpha[g(I_{x}^{2}) + g(I_{y}^{2})]^{2}$$

5. Non-maxima suppression






Compute corner response *R*



Find points with large corner response: *R*>threshold



Take only the points of local maxima of R

