



# Lecture 18: Sorting Aggregation

CREATING THE NEXT®

# Today's Agenda

---

Recap

External Merge Sort


Tree-based Sorting

Aggregation

Conclusion

# Recap

# A More Detailed Architecture



# Anatomy of a Database System [Monologue]

---

- Process Manager
  - ▶ Connection Manager + Admission Control
- Query Processor
  - ▶ Query Parser
  - ▶ Query Optimizer (*a.k.a.*, Query Planner)
  - ▶ Query Executor
- Transactional Storage Manager
  - ▶ Lock Manager
  - ▶ Access Methods (*a.k.a.*, Indexes)
  - ▶ Buffer Pool Manager
  - ▶ Log Manager
- Shared Utilities
  - ▶ Memory, Disk, and Networking Manager

# Query Execution

---


- We are now going to talk about how to execute queries using table heaps and indexes.
- Coming weeks:
  - ▶ Operator Algorithms
  - ▶ Query Processing Models
  - ▶ Runtime Architectures

## Query Plan

---

- The operators are arranged in a tree.
- Data flows from the leaves of the tree up towards the root.
- The output of the root node is the result of the query.

```
SELECT A.id, B.value  
FROM A, B  
WHERE A.id = B.id AND B.value > 100
```



# Disk-Oriented DBMS

---

- We **cannot** assume that the results of a query fits in memory.
- We are going use the **buffer pool** to implement query execution algorithms that need to spill to disk.
- We are also going to prefer algorithms that maximize the amount of **sequential access**.

# External Merge Sort

## Why do we need to sort?

---

- Tuples in a table have no specific order.
- But queries often want to retrieve tuples in a specific order.
  - ▶ Trivial to support duplicate elimination (DISTINCT).
  - ▶ Bulk loading sorted tuples into a B+Tree index is faster.
  - ▶ Aggregation (GROUP BY).

# Sorting Algorithms

---

- If data fits in memory, then we can use a standard in-memory sorting algorithm like quick-sort.
- If data does not fit in memory, then we need to use a technique that is aware of the cost of writing data out to disk.

# External Merge Sort

---

- Divide-and-conquer sorting algorithm that splits the data set into separate **runs** and then sorts them individually.
- **Phase 1 – Sorting**
  - ▶ Sort blocks of data that fit in main-memory and then write back the sorted blocks to a file on disk.
- **Phase 2 – Merging**
  - ▶ Combine sorted sub-files into a single larger file.

## 2-Way External Merge Sort

---


- We will start with a simple example of a 2-way external merge sort.
  - ▶ "2" represents the number of runs that we are going to merge into a new run for each pass.
- Data set is broken up into  $\underline{N}$  pages.
- The DBMS has a finite number of  $\underline{B}$  buffer pages to hold input and output data.

## 2-Way External Merge Sort


---

- Pass 0
  - ▶ Read every B pages of the table into memory
  - ▶ Sort pages into runs and write them back to disk.
- Passes 1,2,3,...
  - ▶ Recursively merge pairs of runs into runs twice as long.
  - ▶ Use three buffer pages (2 for input pages, 1 for output).

## 2-Way External Merge Sort



## 2-Way External Merge Sort




## 2-Way External Merge Sort



---

- In each pass, we read and write each page in file.
- Number of passes =  $1 + \lceil \log_2 N \rceil$
- Total I/O cost =  $2N \times (\text{Number of passes})$

# 2-Way External Merge Sort



# 2-Way External Merge Sort



## 2-Way External Merge Sort


---

- This algorithm only requires three buffer pages to perform the sorting ( $B=3$ ).
- But even if we have more buffer space available ( $B>3$ ), it does not effectively utilize them.

## Double Buffering Optimization

---

- Prefetch the next run in the background and store it in a second buffer while the system is processing the current run.
  - ▶ Reduces the wait time for I/O requests at each step by continuously utilizing the disk.



# General External Merge Sort

---

- Pass 0
  - ▶ Use  $B$  buffer pages.
  - ▶ Produce  $N / B$  sorted runs of size  $B$
- Pass 1,2,3,...
  - ▶ Merge  $B-1$  runs (*i.e.*,  $K$ -way merge).
- Number of passes =  $1 + \lceil \log_{B-1} N/B \rceil$
- Total I/O Cost =  $2N \times$  (Number of passes)

# K-Way Merge Algorithm

---

- Input:  $K$  sorted sub-arrays
- Output: 1 sorted array
  - ▶ Efficiently compute the minimum element of all  $K$  sub-arrays.
  - ▶ Repeatedly transfer that element to output array
- Internally maintain a heap to efficiently compute minimum element.

## Example

---

- Sort 108 pages with 5 buffer pages:  **$N=108$** ,  **$B=5$** 
  - ▶ Pass 0:  $\underline{N / B} = 108 / 5 = 22$  sorted runs of 5 pages each (last run is only 3 pages).
  - ▶ Pass 1:  $\underline{N' / B-1} = 22 / 4 = 6$  sorted runs of 20 pages each (last run is only 8 pages).
  - ▶ Pass 2:  $\underline{N'' / B-1} = 6 / 4 = 2$  sorted runs, first one has 80 pages and second one has 28 pages.
  - ▶ Pass 3: Sorted file of 108 pages.
- $1 + \log_{B-1} N/B = 1 + \lceil \log_4 22 \rceil = 1 + \lceil 2.229 \rceil = 4$  passes

# Tree-based Sorting

## Using B+Trees for Sorting


---

- If the table that must be sorted already has a B+Tree index on the sort attribute(s), then we can use that to accelerate sorting.
- Retrieve tuples in desired **sort order** by simply traversing the **leaf pages** of the tree.
- Cases to consider:
  - ▶ Clustered B+Tree
  - ▶ Unclustered B+Tree

## Case 1 – Clustered B+Tree

---


- Traverse to the left-most leaf page, and then retrieve tuples from all leaf pages.
- This is always better than external sorting because there is no computational cost and all disk access is sequential.



## Case 2 – Unclustered B+Tree

---

- Chase each pointer to the page that contains the data.
- This is almost always a bad idea. In general, one I/O per data record.



# Aggregation

# Aggregation

---

- Collapse multiple tuples into a single scalar value.
- Two implementation choices:
  - ▶ Sorting
  - ▶ Hashing

# Sorting Aggregation

```
SELECT DISTINCT cid
FROM enrolled
WHERE grade IN ('B','C')
ORDER BY cid
```

  
*Filter*

| sid   | cid    | grade |
|-------|--------|-------|
| 53666 | 15-445 | C     |
| 53688 | 15-826 | B     |
| 53666 | 15-721 | C     |
| 53655 | 15-445 | C     |

  
*Remove  
Columns*

| cid    |
|--------|
| 15-445 |
| 15-826 |
| 15-721 |
| 15-445 |

  
*Sort*

| cid    |
|--------|
| 15-445 |
| 15-445 |
| 15-721 |
| 15-826 |

*enrolled(sid,cid,grade)*

| sid   | cid    | grade |
|-------|--------|-------|
| 53666 | 15-445 | C     |
| 53688 | 15-721 | A     |
| 53688 | 15-826 | B     |
| 53666 | 15-721 | C     |
| 53655 | 15-445 | C     |

# Sorting Aggregation

```
SELECT DISTINCT cid
FROM enrolled
WHERE grade IN ('B','C')
ORDER BY cid
```

  
*Filter*

| sid   | cid    | grade |
|-------|--------|-------|
| 53666 | 15-445 | C     |
| 53688 | 15-826 | B     |
| 53666 | 15-721 | C     |
| 53655 | 15-445 | C     |

  
*Remove  
Columns*

| cid    |
|--------|
| 15-445 |
| 15-826 |
| 15-721 |
| 15-445 |

  
*Sort*

*Eliminate  
Dupes*

| cid               |
|-------------------|
| 15-445            |
| <del>15-445</del> |
| 15-721            |
| 15-826            |

*enrolled(sid,cid,grade)*

| sid   | cid    | grade |
|-------|--------|-------|
| 53666 | 15-445 | C     |
| 53688 | 15-721 | A     |
| 53688 | 15-826 | B     |
| 53666 | 15-721 | C     |
| 53655 | 15-445 | C     |

# Alternatives to Sorting

---

- What if we **do not** need the data to be ordered?
  - ▶ Forming groups in GROUP BY (no ordering)
  - ▶ Removing duplicates in DISTINCT (no ordering)
- Hashing is a better alternative in this scenario.
  - ▶ Only need to remove duplicates, no need for ordering.
  - ▶ May be computationally cheaper than sorting.

# Hashing Aggregate

---

- Populate an **ephemeral hash table** as the DBMS scans the table.
- For each record, check whether there is already an entry in the hash table:
  - ▶ GROUP BY: Perform aggregate computation.
  - ▶ DISTINCT: Discard duplicates.
- If everything fits in memory, then it is easy.
- If the DBMS must spill data to disk, then we need to be smarter.

# External Hashing Aggregate

---

- **Phase 1 – Partition**
  - ▶ Divide tuples into buckets based on hash key.
  - ▶ Write them out to disk when they get full.
- **Phase 2 – ReHash**
  - ▶ Build in-memory hash table for each partition and compute the aggregation.

# Phase 1 – Partition

---

- Use a hash function  $h_1$  to split tuples into partitions on disk.
  - ▶ We know that all matches live in the same partition.
  - ▶ Partitions are spilled to disk via output buffers.
- Assume that we have **B** buffers.
- We will use **B-1** buffers for the partitions and **1** buffer for the input data.

# Phase 1 – Partition

```
SELECT DISTINCT cid
FROM enrolled
WHERE grade IN ('B','C')
```

**Filter**

| sid   | cid    | grade |
|-------|--------|-------|
| 53666 | 15-445 | C     |
| 53688 | 15-826 | B     |
| 53666 | 15-721 | C     |
| 53655 | 15-445 | C     |


**Remove Columns**

| cid    |
|--------|
| 15-445 |
| 15-826 |
| 15-721 |
| 15-445 |
| ⋮      |

**enrolled(sid, cid, grade)**

| sid   | cid    | grade |
|-------|--------|-------|
| 53666 | 15-445 | C     |
| 53688 | 15-721 | A     |
| 53688 | 15-826 | B     |
| 53666 | 15-721 | C     |
| 53655 | 15-445 | C     |

**B-1 partitions**



## Phase 2 – ReHash

---


- For each partition on disk:
  - ▶ Read it into memory and build an in-memory hash table based on a second hash function  $h_2$ .
  - ▶ Then go through each bucket of this hash table to bring together matching tuples.
- This assumes that each partition fits in memory.

## Phase 2 – ReHash

---

```
SELECT DISTINCT cid
FROM enrolled
WHERE grade IN ('B', 'C')
```


### Phase #1 Buckets



### enrolled(sid,cid,grade)

| sid   | cid    | grade |
|-------|--------|-------|
| 53666 | 15-445 | C     |
| 53688 | 15-721 | A     |
| 53688 | 15-826 | B     |
| 53666 | 15-721 | C     |
| 53655 | 15-445 | C     |


## Phase 2 – ReHash



## Phase 2 – ReHash

```
SELECT DISTINCT cid
FROM enrolled
WHERE grade IN ('B', 'C')
```

### Phase #1 Buckets



### Hash Table

| cid    |
|--------|
| 15-721 |
|        |

### enrolled(sid,cid,grade)

| sid   | cid    | grade |
|-------|--------|-------|
| 53666 | 15-445 | C     |
| 53688 | 15-721 | A     |
| 53688 | 15-826 | B     |
| 53666 | 15-721 | C     |
| 53655 | 15-445 | C     |

### Final Result


| cid    |
|--------|
| 15-445 |
| 15-826 |
| 15-721 |

# Hashing Summarization

---

- During the ReHash phase, store pairs of the form (GroupKey  $\rightarrow$  RunningVal)
- When we want to insert a new tuple into the hash table:
  - ▶ If we find a matching GroupKey, just update the RunningVal appropriately
  - ▶ Else insert a new GroupKey  $\rightarrow$  RunningVal

# Hashing Summarization



# Conclusion

# Conclusion

---

- Choice of sorting vs. hashing is subtle and depends on optimizations done in each case.
- Next Class
  - ▶ Nested Loop Join
  - ▶ Sort-Merge Join
  - ▶ Hash Join