

InfoVis Systems & Toolkits



CS 7450 - Information Visualization
September 27, 2011
John Stasko

Background



- In previous classes, we have examined different techniques for presenting multivariate data
 - We'll continue to show more later too
- Today we look at systems that implement these ideas and provide some of their own new visualization techniques

Agenda



- Systems providing a view or views
 - Improvise, ILOG Discovery, Many Eyes, Polaris
- Toolkits that can be used to build systems
 - InfoVis Toolkit, prefuse, Piccolo, protovis
- Commercial systems (to come in a future class)
 - Spotfire, Inxight, InfoZoom, InfoScope, Tableau, ...

Systems/Tools



- Primarily examining academic systems that provide preexisting views
 - Commercial systems next time

Improvise



- System used to build visualization tool
- Modular library of visualization components
- Multiple views key
- Coordination model coupled with data processing language at its heart

Weaver
InfoVis '04

Fall 2011

CS 7450

5

Improvise



- Visualization authoring
 - Put together combinations of well-known views and coordinations
 - Designed for people to build these combinations, but that process is non-trivial (Chris admits)

Fall 2011

CS 7450

6

Key Components




- Live Properties
 - For coordinating controls (eg, views, sliders)
 - Control defines live properties that bind to variables
- Coordinated Queries
 - Visual abstraction language
 - Visually encode data records into graphical attributes

Fall 2011

CS 7450

7

<http://www.cs.ou.edu/~weaver/improvise/>



Fall 2011

CS 7450

8

Application

Weaver et al
Information Visualization '07



- Understand spatial and temporal patterns of movements of people and groups of people, understand commerce and travel patterns
- Focus: Social networks of people and historical data
- Alternate: Understand actions and movements of people in terrorist groups

Fall 2011

CS 7450

9

Particulars

- Who – Historical geographers, geneologists
- Problem – Provide platform where these people can do research and more easily understand the movement patterns
- Data – Old hotel records & registers



Figure 1 The National Hotel in Roaring Spring, PA.

Fall 2011

CS 7450

10

Data Collection



Figure 2 The Rebersburg Hotel Register.

- Two hotel registers in PA
 - ~10k guest entries
 - Hundreds of place of origin (mostly NE)
- Transcribed into spreadsheets (400 hours)
- Many repeat visitors

- 6% of dataset not legible/usable

Preliminary Data Analysis



- Simple tables generated
- GIS software for mapping geographic locations

Visualization




- How?
 - Consult with historical geographers
 - Iterative design
- Multiple, coordinated views

Fall 2011

CS 7450

13




User interface

Fall 2011

CS 7450

14




Looking for patterns of visitation

Fall 2011

CS 7450

15



Showing time of year of visits

Fall 2011

CS 7450

16

Video



Fall 2011

CS 7450

17

Data Analysis



- Through interaction with views, analysts can pose queries and look for answers
- “For these people on this date, did they ever meet prior to that?”
- Can also ask questions for unknown people (match a ?)

Fall 2011

CS 7450

18

Data Attributes Explored



- Weekly circuits
- Weather effects
- Biweekly circuits
- Particular hotel characteristics
- Groups & gatherings
- Non-periodic regular visits


Fall 2011

CS 7450

19

<http://www2.ilog.com/preview/Discovery/>

ILOG Discovery



Fall 2011

CS 7450

20

Characteristics



- Large collection of views including scatterplots, parallel coordinates, treemaps, heatmaps, bar charts, ...

Fall 2011

CS 7450

21

<http://www.graphics.stanford.edu/projects//polaris/>

Polaris

<http://www.tableausoftware.com>



Database Schema: The user drags fields from the database schema to shelves to define the visual specification.

Layer Tabs: Each layer has its own tab; different transformations and mappings can be specified for each layer.

Axis Shelves: The fields placed here determine the structure of the table and the types of graphs in each table pane.

Context Menu: The context menu provides access to the data transformation and interaction capabilities of Polaris such as sorting, filtering, and aggregation.

Layer Shelf: The fields placed here determine how records are partitioned into layers.

Grouping and Sorting Shelves: The fields placed here determine how records are grouped and sorted within the table panes.

Mark Pull-downs: Relations in each pane are mapped to marks of the selected type.

Retinal Property Shelves: The fields placed here determine how data is encoded in the retinal properties of the marks.

Legends: Legends enable the user to see and modify the mappings from data to retinal properties.

Video

Stolte et al
TVCG '02

Fall 2011

CS 7450

22

Basis



- Relational databases
- Pivot tables from spreadsheets
- N-dimensional data cubes

- Analytic approach is fundamental
- Provides visual representations of these concepts

Fall 2011

CS 7450

23

Visualization



- Table of data (rows, columns)
- Each axis may have nested dimensions
- Table entry is a pane, and has visual marks to represent data

- Analyst drags and drops fields from database schema onto shelves of display
- Much interaction supported

Fall 2011

CS 7450

24

Graphics



- Formal table algebra provided to describe data
- Visual mappings established from data types to appropriate (good) markings and encodings

Interaction



- Four main types
 - Deriving additional fields
 - Sorting and filtering
 - Brushing and tooltips
 - Undo and redo

Many Eyes



- InfoVis on the web
- Website developed from IBM's infovis group
- Motivating infovis challenges:
 - Difficulty of creating new visualizations
 - How do you discuss the visualizations?
- Project goals:
 - Enable end-user creation of visualizations
 - Foster large-scale collaborative usage

Fall 2011

CS 7450

27

Features




- Provides data upload capabilities and choice from library of visualizations
- Includes
 - Gallery of recently uploaded visualizations for browsing
 - Chosen highlighted visualizations
 - Attached discussion forums for each vis

Fall 2011


CS 7450

28



Recent gallery

Featured visualizations




Fall 2011

CS 7450

29



Discussion forums



Fall 2011

CS 7450

30

Data




- Users upload their own data sets
 - All become public
- Format: table or unstructured text
 - Metadata allowed
- Immutable once uploaded

Visualizations



- Preloaded visualization types
 - Has grown over time
- User chooses one to combine with their data
- Provides named, typed slots that the user maps particular pieces of data to
 - System makes some reasonable guesses too

Originals




Fall 2011

CS 7450

33

WordTree



Fall 2011

CS 7450

34




Fig. 3. Three user generated visualizations offering different perspectives on the same dataset on car fuel economy. The grey areas on the top and bottom are automatically generated by the application and allow the user to browse through different dimensions in the data.

Allows the user to control the mapping from data to image

Social Aspects



- Users identified by login ID
- Can leave comments about different visualizations
- Can take snapshot of visualization state
 - Unique URL
- “Blog this” button

Evaluation



- Quantitative, objective
- 1895 posts of March '07
- Wide variety of topics of visualizations and motivations for creating visualizations
- Does seem to be fostering discussion

Viégas et al
HICSS '08

Fall 2011

CS 7450

37

Evaluation



- Qualitative, subjective
- In-depth interviews with some ME users
- Visualizations used largely for communication and collaboration (not necessarily analysis)
 - Privacy and audience management a concern
- Highlights a number of interesting, non-expected uses of the technology

Danis et al
CHI '08

Fall 2011

CS 7450

38

Watch More



- Video of talk from Stanford HCI seminar
- <http://hci.stanford.edu/cs547/abstracts/07-08/080201-viegas-wattenberg.html>

Fall 2011

CS 7450

39

Thoughts?



- What do you think of the design choices they made?

Fall 2011

CS 7450

40

Sense.us



- Related, follow-up to Many Eyes
- Discussion and visualization of US Census data
- Go beyond Many Eyes in terms of annotation, collaboration, and discussion

Heer et al
CHI '07

Fall 2011

CS 7450

41

Components



- Doubly-linked discussion
 - Can go from visualization to threaded discussion items or vice-versa
- Graphical annotation
 - Simple graphics editor and comments (like transparent layer)
- Bookmark trail
 - Small strip of views
- Comment listings and social navigation
 - Searchable, sortable indices and links

Fall 2011

CS 7450

42




Figure 1. The sense.us collaborative visualization system. (a) An interactive visualization applet, with a graphical annotation for the currently selected comment. The visualization is a stacked time-series visualization of the U.S. labor force, broken down by gender. Here the percentage of the work force in military jobs is shown. (b) A set of graphical annotation tools. (c) A bookmark trail of saved views. (d) Text-entry field for adding comments. Bookmarks can be dragged onto the text field to add a link to that view in the comment. (e) Threaded comments attached to the current view. (f) URL for the current state of the application. The URL is updated automatically as the visualization state changes.




Figure 5. Scatterplot of U.S. states showing median household income (x-axis) vs. retail sales per capita (y-axis). New Hampshire and Delaware have the highest retail sales.




Figure 6. Visualization of the number of teachers. Annotations indicate the start of compulsory education and the rise of teachers in the post World War II era.




Figure 7. Annotated view of stock brokers. The attached comment reads "Great depression killed a lot of brokers".

Sample annotations

Microsoft Pivot



- System unveiled to great publicity from LiveLabs
 - After shut-down, has mostly disappeared
- Faceted browsing/
filtering with image-based UI




Fall 2011

CS 7450

45

Demo



Fall 2011

CS 7450

46

Toolkits & Infrastructures



- Set of components or capabilities that allow others to put together visualization systems
- Growing trend


Fall 2011

CS 7450

47

InfoVis Toolkit

<http://ivtk.sourceforge.net>



Demo

Fekete
InfoVis '04

Fall 2011

CS 7450

48

Characteristics



- Coherent software architecture and set of Java components
 - Data structure is a table
 - Views: time series, parallel coordinates, scatterplots, node-link diagrams, treemaps
 - Added capabilities in color management, labeling, dynamic queries, ...

Critique



- Primarily limited to views it provides, but good & powerful support for them
- Documentation?

Prefuse



- Toolkit in Java for building information visualizations



Heer et al
CHI '05


Fall 2011

CS 7450

51

Prefuse

<http://prefuse.org>




Demo
Video

Fall 2011

CS 7450

52

Tutorial Slides



Fall 2011

CS 7450

53

Characteristics



- Fine-grained building blocks for constructing visualizations (as opposed to pre-made views)
- Data model is a graph (entities & relations)
- Includes library of layout algorithms, navigation and interaction techniques
- Written in Java2d
- Follows CMS vis process model

Fall 2011

CS 7450

54

Applications



- DOI Trees (AVI '04)
- Vizster (InfoVis '05)
- Many more

Fall 2011

CS 7450


55

<http://flare.prefuse.org>

Flare



- New version of prefuse implemented in ActionScript for running in Flash player



Demos

Fall 2011

CS 7450

56

Protovis

<http://vis.stanford.edu/protovis>



- New toolkit following a declarative model
 - Simple grammar of graphical primitives called *marks*
 - Marks are associated with data, using mapping to physical *properties*
 - Properties can be dynamic or static
 - Register *event handlers* to provide interactivity

Bostock & Heer
TVCG (InfoVis) '09

Heer & Bostock
TVCG (InfoVis) '10

Fall 2011

CS 7450

57

Built-in Mark Types




Fig. 5. Examples of built-in mark types. (a-h) Area; Bar; Dot; Image; Line; Label and Bar; Rule and Bar; Wedge.

Fall 2011


CS 7450

58

Examples



```
new pv.Panel().canvas("fig3a")
  .add(pv.Bar)
  .data([1, 1.2, 1.7, 1.5, .7, .2])
  .bottom(0).width(20)
  .height(function(d) d * 80)
  .left(function() this.index * 25)
  .root.render();
```



```
new pv.Panel().canvas("fig3b")
  .data([[1, 1.2, 1.7, 1.5, .7],
        [1.5, 1, .8, 1.1, 1.3],
        [.2, .5, .8, .9, 1]])
  .add(pv.Area)
  .data(function(d) d)
  .fillStyle(pv.Colors.category19.parent)
  .bottom(function() let (c = this.cousin())
    c ? (c.bottom + c.height) : 0)
  .height(function(d) d * 40)
  .left(function() this.index * 35)
  .root.render();
```





Fig. 2. Specifying two simple charts. (a) Bar. (b) Stacked area.

Gallery



Design Patterns



- Heer used his experience with prefuse etc to describe common design patterns for infovis

- Reference model
- Data column
- Cascaded table
- Relational graph
- Proxy tuple
- Expression
- Scheduler
- Operator
- Renderer
- Production rule
- Camera
- Dynamic query binding

Heer & Agrawala
TVCG (InfoVis) '06


Fall 2011

CS 7450

61

Piccolo

<http://code.google.com/p/piccolo2d>



Fall 2011

CS 7450

62

Characteristics



- Graphics toolkit with built-in zooming and panning support
- Very nice for implementing infovis
- Will discuss more later in course...

Fall 2011

CS 7450


63

InfiView

<http://www.infiview.com>



- Environment for developing web-based data visualizations
- Maps, charts, graphs, ...
- Ajax-powered
- Focus on speed and connecting to large databases




Fall 2011

CS 7450

64

Google Chart Tools



Fall 2011

CS 7450

65

Characteristics




- Javascript-based
- Gallery of contributed code segments
- Visualizations are interactive
- Evolving API

Fall 2011

CS 7450

66

Processing



- Java based
- Unlike prefuse & flare, not specifically designed for InfoVis
 - Data Reader? Layout algorithm?
 - But can definitely be used to build visualizations!
- Well documented, lots of tutorials with contributions from many people and even books

Ben Fry



Fall 2011

CS 7450

67

Processing: the idea

- Programming as scripting
 - PDE: processing development environment
 - A program is called a *sketch*
 - written as a list of statements



Fall 2011

CS 7450

68

The Pain of using Java2D



- Graphics repaint
 - Animation
 - ActionListener, EventListener ...
 - Long-winded Java syntax
-
- Processing makes many of these things much easier

Fall 2011

CS 7450

69

Processing: Useful Functions



```
void setup() {  
    //your own code here  
}
```

```
void draw() {  
    //your own code here  
}
```

- These are built-in functions that are called automatically.
 - The `setup()` block runs once.
 - The `draw()` block runs repeatedly: good for animation

Fall 2011

CS 7450

70

Reflection



- What would you seek in a good infovis system or toolkit?

Fall 2011

CS 7450

71

Toolkit Tradeoffs



- InfoVis-focused
 - Many fundamental techniques built-in
 - Can be faster to get something going
 - Often more difficult to implement something “different”
 - Doc is often poor
- Generic graphics
 - More flexible
 - Can customize better
 - Big learning curve
 - Doc is often better
 - Can take a long time to (re)implement basic techniques

Fall 2011

CS 7450

72

More Next Time...



- Demos of commercial infovis systems
 - Spotfire
 - Table Lens/Eureka
 - SeeIt
 - InfoZoom
 - InfoScope
 - Tableau

Fall 2011

CS 7450

73

Upcoming



- Commercial systems
 - Reading
Spenke & Beilken '00
- Text & Documents 1
 - Reading
Viegas & Wattenberg '08

Fall 2011

CS 7450

74