

Visual Perception



CS 7450 - Information Visualization
January 20, 2011
John Stasko

Agenda



- Visual perception
 - Pre-attentive processing
 - Color
 - Etc.

Semiotics



- The study of symbols and how they convey meaning
- Classic book:
 - J. Bertin, 1983, *The Semiology of Graphics*

Spring 2011

CS 7450

3

Related Disciplines



- Psychophysics
 - Applying methods of physics to measuring human perceptual systems
 - How fast must light flicker until we perceive it as constant?
 - What change in brightness can we perceive?
- Cognitive psychology
 - Understanding how people think, here, how it relates to perception

Spring 2011

CS 7450

4

Perceptual Processing



- Seek to better understand visual perception and visual information processing
 - Multiple theories or models exist
 - Need to understand physiology and cognitive psychology

Spring 2011


CS 7450

5

One (simple) Model



- Two stage process
 - Parallel extraction of low-level properties of scene
 - Sequential goal-directed processing



Ware 2000

Spring 2011

CS 7450

6

Stage 1 - Low-level, Parallel



- Neurons in eye & brain responsible for different kinds of information
 - Orientation, color, texture, movement, etc.
- Arrays of neurons work in parallel
- Occurs “automatically”
- Rapid
- Information is transitory, briefly held in iconic store
- Bottom-up data-driven model of processing
- Often called “pre-attentive” processing

Spring 2011

CS 7450

7

Stage 2 - Sequential, Goal-Directed



- Splits into subsystems for object recognition and for interacting with environment
- Increasing evidence supports independence of systems for symbolic object manipulation and for locomotion & action
- First subsystem then interfaces to verbal linguistic portion of brain, second interfaces to motor systems that control muscle movements

Spring 2011

CS 7450

8

Stage 2 Attributes



- Slow serial processing
- Involves working and long-term memory
- More emphasis on arbitrary aspects of symbols
- Top-down processing

Preattentive Processing



- How does human visual system analyze images?
 - Some things seem to be done preattentively, without the need for focused attention
 - Generally less than 200-250 msec (eye movements take 200 msec)
 - Seems to be done in parallel by low-level vision system

How Many 3's?



1281768756138976546984506985604982826762
9809858458224509856458945098450980943585
9091030209905959595772564675050678904567
8845789809821677654876364908560912949686

How Many 3's?



12817687561**3**8976546984506985604982826762
980985845822450985645894509845098094**3**585
90910**3**0209905959595772564675050678904567
8845789809821677654876**3**64908560912949686

What Kinds of Tasks?



- Target detection
 - Is something there?
- Boundary detection
 - Can the elements be grouped?
- Counting
 - How many elements of a certain type are present?

Spring 2011

CS 7450

13

Example





- Determine if a red circle is present
- (2 sides of the room)

Spring 2011

CS 7450

14

Hue



Can be done rapidly (preattentively) by people
Surrounding objects called "distractors"

Spring 2011

CS 7450

15

Example





- Determine if a red circle is present

Spring 2011

CS 7450

16

Shape



Can be done preattentively by people

Spring 2011

CS 7450

17

Example




- Determine if a red circle is present

Spring 2011

CS 7450

18

Hue and Shape



- Cannot be done preattentively
- Must perform a sequential search
- Conjunction of features (shape and hue) causes it

Spring 2011

CS 7450

19

Example




- Is there a boundary in the display?

Spring 2011

CS 7450

20

Fill and Shape



- Left can be done preattentively since each group contains one unique feature
- Right cannot (there is a boundary!) since the two features are mixed (fill and shape)

Spring 2011

CS 7450

21

Example




- Is there a boundary in the display?

Spring 2011

CS 7450

22

Hue versus Shape



Left: Boundary detected preattentively based on hue regardless of shape

Right: Cannot do mixed color shapes preattentively

Spring 2011

CS 7450

23

Example




- Is there a boundary?

Spring 2011

CS 7450

24

Hue versus brightness



Left: Varying brightness seems to interfere
Right: Boundary based on brightness can be done preattentively

Spring 2011

CS 7450

25

Example Applet



- Nice on-line tutorial and example applet
 - <http://www.csc.ncsu.edu/faculty/healey/PP/index.html>
 - Chris Healey, NC State
 - Prior pictures taken from site

Spring 2011

CS 7450

26

Preattentive Features




- Certain visual forms lend themselves to preattentive processing
- Variety of forms seem to work

Spring 2011

CS 7450

27

Textons



1. Elongated blobs
2. Terminators
3. Crossings of lines


All detected early

Spring 2011

CS 7450

28

3-D Figures




3-D visual reality has an influence

Spring 2011

CS 7450

29

Emergent Features



Spring 2011

CS 7450

30

Potential PA Features



| | |
|--------------|---------------------|
| length | hue |
| width | intensity |
| size | flicker |
| curvature | direction of motion |
| number | binocular lustre |
| terminators | stereoscopic depth |
| intersection | 3-D depth cues |
| closure | lighting direction |

Spring 2011

CS 7450

31

Discussion



- What role does/should preattentive processing play in information visualization?

Spring 2011

CS 7450

32

Gestalt Laws



- Background
 - German psychologists, early 1900's
 - Attempt to understand pattern perception
 - Founded Gestalt school of psychology
 - Provided clear descriptions of many basic perceptual phenomena
 - Gestalt Laws of Pattern Perception

Spring 2011

CS 7450

33

Gestalt Laws



- Proximity
 - Things close together are perceptually grouped together
- Similarity
 - Similar elements get grouped together
- Connectedness
 - Connecting different objects by lines unifies them
- Continuity
 - More likely to construct visual entities out of smooth, continuous visual elements

Spring 2011


CS 7450

34

Gestalt Laws



- Symmetry
 - Symmetrical patterns are perceived more as a whole
- Closure
 - A closed contour is seen as an object
- Relative Size
 - Smaller components of a pattern as perceived as objects
- Figure & Ground
 - Figure is foreground, ground is behind



Spring 2011

CS 7450

35

Key Perceptual Properties



- Brightness
- Color
- Texture
- Shape

Spring 2011

CS 7450

36

Luminance/Brightness



- Luminance
 - Measured amount of light coming from some place
- Brightness
 - *Perceived* amount of light coming from source

Spring 2011

CS 7450

37

Brightness



- Perceived brightness is non-linear function of amount of light emitted by source
 - Typically a power function
 - $S = aI^n$
 - S - sensation
 - I - intensity
- Very different on screen versus paper

Spring 2011

CS 7450

38

Grayscale




- Probably not best way to encode data because of contrast issues
 - Surface orientation and surroundings matter a great deal
 - Luminance channel of visual system is so fundamental to so much of perception
 - We can get by without color discrimination, but not luminance

Color




- Sensory response to electromagnetic radiation in the spectrum between wavelengths 0.4 - 0.7 micrometers



Color Models



- HVS model
 - Hue - what people think of color
 - Value - light/dark, ranges black<-->white
 - Saturation - intensity, ranges hue<-->gray



Spring 2011

CS 7450

41

How Not to Use Color



<http://www.thedailyshow.com/video/index.jhtml?videoId=156230&title=full-color-coverage>

Spring 2011


CS 7450

42

Color Categories




- Are there certain canonical colors?
 - Post & Greene '86 had people name different colors on a monitor
 - Pictured are ones with > 75% commonality



From Ware '04

Using Mechanical Turk



<http://blog.doloreslabs.com/2008/03/where-does-blue-end-and-red-begin/>

Luminance



- Important for fg-bg colors to differ in brightness

Hello, here is some text. Can you read what it says?
Hello, here is some text. Can you read what it says?
Hello, here is some text. Can you read what it says?
Hello, here is some text. Can you read what it says?
Hello, here is some text. Can you read what it says?
Hello, here is some text. Can you read what it says?
Hello, here is some text. Can you read what it says?

Spring 2011


CS 7450

45

Color for Categories



- Can different colors be used for categorical variables?
 - Yes (with care)
 - Ware's suggestion: 12 colors
red, green, yellow, blue, black, white, pink, cyan,
gray, orange, brown, purple



From Ware '04

Spring 2011


CS 7450

46

Color for Sequences



Can you order these (low->hi)




Spring 2011

CS 7450

47

Possible Color Sequences




Spring 2011

CS 7450


48

HeatMap



• http://screening.nasdaq.com/heatmaps/heatmap_100.asp

ColorBrewer



Help with selecting colors for maps

<http://colorbrewer2.org/>

Color Purposes



- Call attention to specific data
- Increase appeal, memorability
- Increase number of dimensions for encoding data
 - Example, Ware and Beatty '88
 - x,y - variables 1 & 2
 - amount of r,g,b - variables 3, 4, & 5

Spring 2011

CS 7450

51

Using Color



- Modesty! Less is more
- Use blue in large regions, not thin lines
- Use red and green in the center of the field of view (edges of retina not sensitive to these)
- Use black, white, yellow in periphery
- Use adjacent colors that vary in hue & value

Spring 2011

CS 7450

52

Using Color



- For large regions, don't use highly saturated colors (pastels a good choice)
- Do not use adjacent colors that vary in amount of blue
- Don't use high saturation, spectrally extreme colors together (causes after images)
- Use color for grouping and search
- Beware effects from adjacent color regions (my old house - example)

Spring 2011

CS 7450

53

Article Discussion



Choosing Colors for Data Visualization
by Maureen Stone
Originally published January 17, 2006


- Printer-friendly
- Email to a friend
- Email to myself
- Comments

The problem of choosing colors for data visualization is expressed by this quote from information visualization guru Edward Tufte:

"...avoiding catastrophe becomes the first principle in bringing color to information: Above all, do no harm."
(Envisioning Information, Edward Tufte, Graphics Press, 1990)

Color used well can enhance and clarify a presentation. Color used poorly will obscure, muddle and confuse. While there is a strong aesthetic component to color, using color well in information display is essentially about function: what information are trying to convey, and how (or whether) color can enhance it.

The most important use of color in information presentation is to distinguish one element from another, a function Edward Tufte calls "to label." In Figure 1, for example, the different colors in the scatter plot label different products. But the use of color as a label goes beyond the distinctive data colors, for color in this discussion includes black, white and shades of gray.



<http://www.b-eye-network.com/newsletters/ben/2235>

Spring 2011

CS 7450

54

Good Color Advice



Maureen Stone's website
Many references and links
She frequently offers
tutorials about color at
conferences

<http://www.stonesc.com>

Spring 2011

CS 7450

55

Texture



- Appears to be combination of
 - orientation
 - scale
 - contrast
- Complex attribute to analyze

Spring 2011

CS 7450

56

Shape, Symbol



- Can you develop a set of unique symbols that can be placed on a display and be rapidly perceived and differentiated?
- Application for maps, military, etc.
- Want to look at different preattentive aspects

Glyph Construction



- Suppose that we use two different visual properties to encode two different variables in a discrete data set
 - color, size, shape, lightness
- Will the two different properties interact so that they are more/less difficult to untangle?
 - Integral - two properties are viewed holistically
 - Separable - Judge each dimension independently

Integral-Separable



- Not one or other, but along an axis



Ware '04

Spring 2011

CS 7450

59

Encodings




- When you want to communicate one type of variable, which visual property should you use?

Spring 2011

CS 7450

60

Accuracy ranking of quantitative perceptual tasks



Ranking of perceptual tasks


From Jock Mackinlay's 1986 thesis
Spring 2011

Change Blindness



- Is the viewer able to perceive changes between two scenes?
 - If so, may be distracting
 - Can do things to minimize noticing changes
- Fun examples
 - Static pictures (Ron Rensink, UBC)
 - <http://www.psych.ubc.ca/~rensink/flicker/download/>
 - Videos (Dan Simons, Illinois)
 - http://viscog.beckman.uiuc.edu/djs_lab/demos.html

Optical Illusions



Spring 2011

CS 7450

63

Stage 2




- Missing!
- Object recognition and locomotion/action
- Maybe in the future... :^)

Spring 2011

CS 7450

64

Great Book



*Information Visualization
Perception for Design*
2nd edition

Colin Ware
Morgan Kaufmann

Spring 2011

CS 7450

65

HW 1 Discussion



- What findings did you make?
- What was difficult?
- What help did you want?

Spring 2011

CS 7450

66

HW 2



- Table and graph design
- Given two (Excel) data sets, design a table and graph respectively
- Due next Thursday

Spring 2011

CS 7450

67

Upcoming



- Cognitive Issues
 - Papers to read
 - Norman book chapter
 - Liu et al
- Multivariate Visual Representations
 - Papers to read
 - Inselberg

Spring 2011

CS 7450

68

Sources Used



Healey website and article

<http://www.csc.ncsu.edu/faculty/healey/PP/index.html>

Marti Hearst SIMS 247 lectures

C. Ware, *Information Visualization*