

Hierarchies and Trees 2 (Space-filling)



CS 7450 - Information Visualization
November 14, 2012
John Stasko

Hierarchies **Recall**




- Definition
 - Data repository in which cases are related to subcases
 - Can be thought of as imposing an ordering in which cases are parents or ancestors of other cases


Last Time: Node-Link Reps



Traditional




Hyperbolic tree



Lamping & Rao

ConeTree



Card, Mackinlay & Robertson

Fall 2012

SpaceTree



Plaisant, Grosjean & Bederson

CS 7450

3

Node-link Shortcoming



- Difficult to encode more variables of data cases (nodes)
 - Shape
 - Color
 - Size
 - ...but all quickly clash with basic node-link structure

Fall 2012

CS 7450



4

Space-Filling Representation



Each item occupies an area

Children are "contained" under parent





One example: "Icicle plot"

Treemap



- Space-filling representation developed by Shneiderman and Johnson, Vis '91
- Children are drawn inside their parent
- Alternate horizontal and vertical slicing at each successive level
- Use area to encode other variable of data items

Example





Fall 2012

CS 7450

7

Example





Fall 2012

CS 7450

8

Example



Fall 2012

CS 7450

9

Treemap



- Example




Fall 2012

CS 7450

10

Treemap Example




Old one I built for our Sun workstations

Treemap Algorithm




```
Draw()  
{  
  Change orientation from parent (horiz/vert)  
  Read all files and directories at this level  
  Make rectangle for each, scaled to size  
  Draw rectangles using appropriate size and color  
  For each directory  
    Make recursive call using its rectangle as focus  
  }
```


Nested vs. Non-nested



Non-nested Tree-Map



Nested Tree-Map



Fall 2012

CS 7450

13

Applications



- Can use Treemap idea for a variety of domains
 - File/directory structures
 - Basketball statistics
 - Software diagrams
 - Tennis matches

Fall 2012

CS 7450

14

Software Visualization App



- SeeSys: Software Metrics Visualizing System
- Uses treemap-like visualization to present different software metrics
- Displays:
 - Size
 - Recent development
 - High fix-on-fix rates
 - History and growth

Baker and Eick
JVLC '95

Fall 2012


CS 7450

15

Sample View 1



Subsystems in a software system. Each rectangle represents the non-comment source code in a subsystem. Area means size



New code
in this release

Fall 2012

CS 7450


Size

16

Sample View 2



Bug rates by subsystem and directory



Fall 2012

CS 7450

17

Tennis Viewing Application



- Analyze, review and browse a tennis match
- Space-filling/treemap-like hierarchy representation for a competition tree
- Shows match, sets, games, points
- Uses lenses to show shot patterns
- Red/green to encode two players
- Composite colors on top of each other


Jin and Banks
IEEE CG&A '97

Fall 2012

CS 7450

18

Visualization Make-up



Fall 2012

CS 7450

19

Simulated Match Results



Match view

Bond won

Set results

Lens showing ball movement on individual points

Game results



Fall 2012

CS 7450


20

Treemap?

Very nice infographic

Figure 4.1 Global distribution of the world's water

Note: see Chapter 3 on water that is easily available to plants.



<http://blog.wired.com/wiredscience/2008/06/awesome-infogra.html>

Fall 2012

CS 7450

21

Treemap Affordances



- Good representation of two attributes beyond node-link: color and area
- Not as good at representing structure
 - What happens if it's a perfectly balanced tree of items all the same size?
 - Also can get long-thin aspect ratios
 - Borders help on smaller trees, but take up too much area on large, deep ones

Fall 2012

CS 7450

22

Aspect ratios



These kinds of rectangles are visually unappealing

Which has bigger area?

Fall 2012 CS 7450 23

Variation



- Can rectangles be made more square?
.....think about it.....
- In general, a very hard problem!

Variation: “Cluster” Treemap



- SmartMoney.com Map of the Market
 - Illustrates stock movements
 - “Compromises” treemap algorithm to avoid bad aspect ratios
 - Basic algorithm (divide and conquer) with some hand tweaking
 - Takes advantage of shallow hierarchy
 - `www.smartmoney.com/marketmap`


Fall 2012

Image on next slide


CS 7450

Wattenberg
CHI '99

25



A good day :^)




Fall 2012

CS 7450

27

More recent times

Sept. 29, 2008




Fall 2012

CS 7450

28

New One



I don't like it as much

(Where's the nice control panel?)

Fall 2012

CS 7450

29

SmartMoney Review



- Tufte-esque micro/macro view
- Dynamic user interface operations add to impact
- One of best applications of an InfoVis techniques that I've seen

Fall 2012


CS 7450

30

Other Treemap Variations



- Squarified treemap
 - Bruls, Huizing, van Wijk, EuroGraphics '00
 - Alternate approach, similar results



Fall 2012

CS 7450

31

Square Algorithm Problems



- Small changes in data values can cause dramatic changes in layout
- Order of items in a group may be important

Fall 2012

CS 7450

32

New Square Algorithms



- Pivot-by-size and pivot-by-middle

Partition area into 4 regions


Pick pivot element R_p

Size: Largest element


Middle: Middle element

R_1 - elements earlier in list than pivot


R_2 - elements in list before R_3 and also that makes R_p have aspect ratio closest to 1



Pivot-by-middle



Pivot-by-size



Shneiderman & Wattenberg
InfoVis '01

Fall 2012

CS 7450

33

New Variation



- Strip treemap


Use strips to place items

Put new rectangle into strip

If it makes average aspect ratio of all rectangles in strip go down, keep it there

If it makes aspect ratio go up, put it back and move to next strip

StripTreemap



Bederson, Shneiderman & Wattenberg
ACM Trans on Graphics '02

Fall 2012


CS 7450

34

Compare results




- Compare
 - slice and dice
 - squarified
 - strip
 - pivot
- techniques by
 - aspect ratio
 - width to height
 - structural change
 - metric designed to measure movements of items
 - readability
 - metric based on changes in direction of eye gaze as items scanned



Fall 2012

CS 7450


35



Slice-and-dice

Cluster

Squarified



Pivot-by-middle

Pivot-by-size

Strip

Fall 2012

CS 7450

36

Showing Structure



- Regular borderless treemap makes it challenging to discern structure of hierarchy, particularly large ones
 - Supplement Treemap view
 - Change rectangles to other forms

Fall 2012

CS 7450


37

Variation: Cushion Treemap



Add shading and texture to help convey structure of hierarchy

Van Wijk & van de Wetering
InfoVis '99



Fall 2012

CS 7450

38

SequoiaView

www.win.tue.nl/sequoiaview/



File visualizer
built using
cushion treemap
notion

Demo



Fall 2012

CS 7450


39

Internet News Groups



NetScan

Fiore & Smith
Microsoft



Fall 2012


CS 7450

40

Product Sales

www.hivegroup.com/amazon.html

The Hive Group



Fall 2012

CS 7450

41

News Stories

www.marumushi.com/apps/newsmap/newsmap.cfm

Marumushi



Fall 2012

CS 7450

42

Investment Portfolios



Panopticon




Fall 2012

CS 7450

43

Federal Budget




Fall 2012

CS 7450

44

2012 Presidential Election



http://www.treemap.com/datasets/uselections/?goback=.gde_80552_member_184123140
 Fall 2012 CS 7450 45

Scaling Up



Fig. 5. Hierarchical Network Map displaying all 19,731 autonomous systems (one can still zoom in twice for details) on a large display wall (5.20m × 2.15m, 8.9 Megapixels, powered by eight projectors). The query interface on the top left shows the traffic distribution over time and specifies the selected data, in this case the traffic entering the gateway of the University of Konstanz on well-known ports (0-1023) on 29 November 2005 using “transferred bytes” as measure with logarithmic color mapping. One recognizes a heavy traffic load from AS 3320 (red) of “Deutsche Telekom” as well as to neighboring autonomous systems in Germany. A port histogram reveals high activity on the Web ports 80 and 443. For security and privacy reasons, the data was aggregated and sanitized.

Another Problem



- What if nodes with zero value (mapped to area) are very important?
 - Example: Stock or mutual fund portfolios: Funds you don't currently hold have zero value in your portfolio, but you want to see them to potentially buy them

FundExplorer



- Show mutual fund portfolios, including funds not currently held
 - Area maps to your relative investment in fund
- Want to help the user with portfolio diversification as well
 - If I add fund X, how does that overlap with my current fund holdings?

Solution



- Context Treemap – Treemap with small distortion
 - Give zero-valued items (all together) some constant proportion of screen area
 - Provide dynamic query capabilities to enhance exploration leading to portfolio diversification

Fall 2012

CS 7450


49

FundExplorer



Video
InfoVis '03

Demo





Fall 2012

CS 7450

50

Voronoi Treemaps



Balzer & Deussen
InfoVis '05

Fall 2012

CS 7450

51


www.cs.umd.edu/hcil/treemap-history/

The World of Treemaps



Maryland HCIL
website devoted
to Treemaps

Workshop in
2001 there on
topic



Fall 2012

CS 7450

52

Another Technique




- What if we used a radial rather than a rectangular space-filling technique?
 - We saw node-link trees with root in center and growing outward already...
- Make pie-tree with root in center and children growing outward
 - Radial angle now corresponds to a variables rather than area

Fall 2012

CS 7450

53



Appears in:
American Heritage Dictionary, 3rd Ed. Houghton Mifflin, 1992

Fall 2012

CS 7450


54

Radial Space-Filling



Chuah
InfoVis '98

Andrews &
Heidegger
InfoVis '98




Fall 2012

CS 7450


55

SunBurst

Stasko, Catrambone, Guzdial & McDonald
IJHCS '00



Demo



Fall 2012

CS 7450

56

SunBurst



- Root directory at center, each successive level drawn farther out from center
- Sweep angle of item corresponds to size
- Color maps to file type or age
- Interactive controls for moving deeper in hierarchy, changing the root, etc.
- Double-click on directory makes it new root

Fall 2012


CS 7450

57

SunBurst



- Demonstration of system



Java version built by Neel Parekh

Fall 2012

CS 7450

58

Fix: Objectives



- Make small slices bigger
- Maintain full circular space-filling idea
- Allow detailed examination of small files within context of entire hierarchy
- Don't alter ratios of sizes
- Avoid use of multiple windows or lots of scrollbars
- Provide an aesthetically pleasing interface in which it is easy to track changes in focus

Fall 2012

CS 7450

61

3 Solutions



- Three visualization+navigation techniques developed to help remedy the shortcoming
 - Angular detail
 - Detail outside
 - Detail inside


Stasko & Zhang
InfoVis '00

Fall 2012

CS 7450

62

Angular Detail




- Most "natural"
- Least space-efficient
- Most configurable by user

Fall 2012

CS 7450

63

Detail Outside




- Exhibits non-distorted miniature of overview
- Somewhat visually disconcerting
- Focus is quite enlarged (large circumference and 360°)
- Relatively space efficient

Fall 2012

CS 7450

64

Detail Inside




- Perhaps least intuitive and most distorting
- Items in overview are more distinct (larger circumference)
- Interior 360° for focus is often sufficient

Fall 2012

CS 7450

65

See in Action



Video

Stasko & Zhang
InfoVis '00

Fall 2012

CS 7450

66

Key Components



- Two ways to increase area for focus region: larger sweep angle and longer circumference
- Smooth transitions between overview and focus allow viewer to track changes
- Always display overview
- Allow focus selections from anywhere: normal display, focus or overview regions

Fall 2012

CS 7450

67

Potential Follow-on Work



- Multiple foci
- Varying radii for different levels in hierarchy
- Use quick-keys to walk through neighboring files
- Smarter update when choosing new focus region from existing focus
- Fourth method: expand angle of focus in place by compressing all others

Fall 2012

CS 7450


68

InterRing



Provides many of those follow-on capabilities and new operations

Yang, Ward & Rudensteiner
InfoVis '02



Fall 2012

CS 7450

69

Even Sand Crabs Do It




<http://www.flickr.com/photos/jkr1812/2234846316/in/gallery-49563472@N07-72157624817856060/lightbox/>

Fall 2012

CS 7450

70

Survey of Radial Techniques



Draper et al
TVCG '09

Fall 2012

CS 7450

71

More Alternatives



- Combine space-filling hierarchy presentations (really nesting) with zooming
- Children drawn inside of parent, but not totally encompassing

Fall 2012

CS 7450


72

Grokker

www.groxis.com



Demo



Fall 2012

CS 7450


73

Zoomology



CS 7450
Spring '03
project

InfoVis '03
Contest Winner
Best Student
entry




Fall 2012

CS 7450

74

Alternate View



Video

Fall 2012

CS 7450

75

Circle Packing

Wang, Wang, Dai & Wang
CHI '06




Figure 4. Packing 1000 circles with random radii






Figure 5. Pack circles into a circle recursively



(a) User interface and the overview of "D:\MyInfor"



(b) The details of the focus "MyInfor\Document\MyDoc"



(c) 3D nested cylinders and spheres

Fall 2012

CS 7450

76

Hybrid Approaches




- Mix node-link and space-filling

Fall 2012

CS 7450

77

CHEOPS



(Saw last week)

Beaudoin, Parent, Vroomen,
Vis '96


Fall 2012

CS 7450

78



- Explicit combination of node-link and treemap-like techniques
- Partition space into hierarchical regions, then draw node link into that



Fall 2012


CS 7450

79

Focus + Context → Zooming + Layering



- Uses 2 Layers with semi-transparency
- Viewer can zoom and swap
- Provides animated transitions in-between




Fall 2012

CS 7450

80

EnCon Sample Views



Summary



- Node-link diagrams or space-filling techniques?
- It depends on the properties of the data
 - Node-link typically better at exposing structure of information structure
 - Space-filling good for focusing on one or two additional variables of cases

Great Visual Summary

Downloadable poster



<http://www.informatik.uni-rostock.de/~hs162/treeposter/oldposter/poster.html>

Fall 2012

CS 7450

83

Zoomed In



Fall 2012

CS 7450

84

Version 2

<http://treevis.net>



Fall 2012

CS 7450

85

Upcoming

- Social Visualization
 - Reading
 - Viegas et al '06
 - Wattenberg & Kriss '06
- Animation
 - Reading
 - Heer & Robertson '07

Fall 2012

CS 7450

86

References



- Spence and CMS texts
- All referred to papers