

Topics:


- Optimization Continued
- Convolutional Layers

CS 4644-DL / 7643-A
ZSOLT KIRA

- **Assignment 1 – due tonight, grace period 02/04**
- **Assignment 2**
 - Implement convolutional neural networks
- **Meta Lectures:** Data wrangling OH recordings available on piazza
 - <https://gatech.zoom.us/j/92772996427>

There are still many design decisions that must be made:

- ◆ **Architecture**
- ◆ **Data Considerations**
- ◆ **Training and Optimization**
- ◆ **Machine Learning Considerations**




Deep learning involves **complex, compositional, non-linear functions**

The **loss landscape** is extremely **non-convex** as a result

There is **little direct theory** and a **lot of intuition/rules of thumbs** instead

- Some insight can be gained via theory for simpler cases (e.g. convex settings)





Several **loss surface geometries** are difficult for optimization

Several types of minima: Local minima, plateaus, saddle points

Saddle points are those where the gradient of orthogonal directions are zero

- But they **disagree** (it's min for one, max for another)



- Gradient descent takes a step in the **steepest direction** (negative gradient)

- Intuitive idea:** Imagine a ball rolling down loss surface, and use **momentum** to pass flat surfaces


$$v_i = \beta v_{i-1} + \frac{\partial L}{\partial w_{i-1}} \quad \text{Update Velocity (starts as 0, } \beta = 0.99)$$

$$w_i = w_{i-1} - \alpha v_i \quad \text{Update Weights}$$

- Generalizes SGD ($\beta = 0$)

NOTE: i is indexing *iteration* here (not weight)

$$w_i = w_{i-1} - \alpha \frac{\partial L}{\partial w_{i-1}}$$




Key idea: Rather than combining velocity with current gradient, go along velocity **first** and then calculate gradient at new point

- We know velocity is probably a **reasonable direction**


$$\hat{w}_{i-1} = w_{i-1} + \beta v_{i-1}$$

$$v_i = \beta v_{i-1} + \frac{\partial L}{\partial \hat{w}_{i-1}}$$

$$w_i = w_{i-1} - \alpha v_i$$



Momentum update:



Nesterov Momentum




Figure Credit: Fei-Fei Li, Justin Johnson, Serena Yeung, CS 231n

Momentum

Note there are **several equivalent formulations** across deep learning frameworks!

Resource:

<https://medium.com/the-artificial-impostor/sgd-implementation-in-pytorch-4115bcb9f02c>




- Various mathematical ways to **characterize the loss landscape**

- If you liked **Jacobians**... meet the

$$\mathbf{H} = \begin{bmatrix} \frac{\partial^2 f}{\partial x_1^2} & \frac{\partial^2 f}{\partial x_1 \partial x_2} & \cdots & \frac{\partial^2 f}{\partial x_1 \partial x_n} \\ \frac{\partial^2 f}{\partial x_2 \partial x_1} & \frac{\partial^2 f}{\partial x_2^2} & \cdots & \frac{\partial^2 f}{\partial x_2 \partial x_n} \\ \vdots & \vdots & \ddots & \vdots \\ \frac{\partial^2 f}{\partial x_n \partial x_1} & \frac{\partial^2 f}{\partial x_n \partial x_2} & \cdots & \frac{\partial^2 f}{\partial x_n^2} \end{bmatrix}$$

- Gives us information about the **curvature of the loss surface**




Condition number is the ratio of the largest and smallest eigenvalue

- ◆ Tells us how different the curvature is along different dimensions

If this is high, SGD will make **big** steps in some dimensions and **small** steps in other dimension

Second-order optimization methods divide steps by curvature, but expensive to compute



Per-Parameter Learning Rate

Idea: Have a dynamic learning rate for each weight

Several flavors of **optimization algorithms**:

- ◆ RMSProp
- ◆ Adagrad
- ◆ Adam
- ◆ ...

SGD+Momentum can achieve similar results in many cases but with much more tuning



Idea: Use gradient statistics to reduce learning rate across iterations

Denominator: Sum up gradients over iterations

Directions with **high curvature will have higher gradients**, and learning rate will reduce

$$G_i = G_{i-1} + \left(\frac{\partial L}{\partial w_{i-1}} \right)^2$$
$$w_i = w_{i-1} - \frac{\alpha}{\sqrt{G_i} + \epsilon} \frac{\partial L}{\partial w_{i-1}}$$

As gradients are accumulated learning rate will go to zero

Duchi, et al., "Adaptive Subgradient Methods for Online Learning and Stochastic Optimization"

Solution: Keep a moving average of squared gradients!

Does not saturate the learning rate

$$G_i = \beta G_{i-1} + (1 - \beta) \left(\frac{\partial L}{\partial w_{i-1}} \right)^2$$

$$w_i = w_{i-1} - \frac{\alpha}{\sqrt{G_i + \epsilon}} \frac{\partial L}{\partial w_{i-1}}$$

Combines ideas from above algorithms

Maintains both gradient and squared statistics for gradients

$$v_i = \beta_1 v_{i-1} + (1 - \beta_1) \left(\frac{\partial L}{\partial w_{i-1}} \right)$$

$$G_i = \beta_2 G_{i-1} + (1 - \beta_2) \left(\frac{\partial L}{\partial w_{i-1}} \right)^2$$

$$w_i = w_{i-1} - \frac{\alpha v_i}{\sqrt{G_i + \epsilon}}$$

But unstable in the beginning
(one or both of moments will be tiny values)

Kingma and Ba, "Adam: A method for stochastic optimization", ICLR 2015

Solution: Time-varying bias correction

Typically $\beta_1 = 0.9$, $\beta_2 = 0.999$

So \hat{v}_i will be small number divided by $(1-0.9=0.1)$ resulting in more reasonable values (and \hat{G}_i larger)

$$v_i = \beta_1 v_{i-1} + (1 - \beta_1) \left(\frac{\partial L}{\partial w_{i-1}} \right)$$

$$G_i = \beta_2 G_{i-1} + (1 - \beta_2) \left(\frac{\partial L}{\partial w_{i-1}} \right)^2$$

$$\hat{v}_i = \frac{v_i}{1 - \beta_1^i} \quad \hat{G}_i = \frac{G_i}{1 - \beta_2^i}$$


$$w_i = w_{i-1} - \frac{\alpha \hat{v}_i}{\sqrt{\hat{G}_i + \epsilon}}$$

Optimizers behave differently
depending on landscape

Different behaviors such as
overshooting, stagnating, etc.

Plain SGD+Momentum can
generalize better than adaptive
methods, but requires more tuning

- See: *Luo et al., Adaptive Gradient Methods with Dynamic Bound of Learning Rate, ICLR 2019*




From: <https://mlfromscratch.com/optimizers-explained/#/>

First order optimization methods have **learning rates**

Theoretical results rely on **annealed learning rate**

Several schedules that are typical:


- ◆ Graduate student!
- ◆ Step scheduler
- ◆ Exponential scheduler
- ◆ Cosine scheduler



From: Leslie Smith, "Cyclical Learning Rates for Training Neural Networks"

Convolution & Pooling

The connectivity in linear layers **doesn't** always make sense



How many parameters?

● $M*N$ (weights) + N (bias)

Hundreds of millions of
parameters **for just one layer**

**More parameters => More
data needed**


Is this necessary?

Image features are spatially localized!

- Smaller features repeated across the image
 - Edges
 - Color
 - Motifs (corners, etc.)
- No reason to believe one feature tends to appear in one location vs. another (stationarity)



Can we induce a *bias* in the design of a neural network layer to reflect this?



Each node only receives input from $K_1 \times K_2$ window (image patch)


- Region from which a node receives input from is called its **receptive field**

Advantages:

- Reduce parameters to $(K_1 \times K_2 + 1) * N$ where N is number of output nodes
- Explicitly maintain spatial information

Do we need to learn location-specific features?

Idea 1: Receptive Fields



Nodes in different locations can **share** features

- ◆ No reason to think same feature (e.g. edge pattern) can't appear elsewhere
- ◆ Use same weights/parameters in computation graph (**shared weights**)



Advantages:

- ◆ Reduce parameters to $(K_1 \times K_2 + 1)$
- ◆ Explicitly maintain spatial information

Idea 2: Shared Weights



We can learn **many** such features for this one layer

- ◆ Weights are **not** shared across different feature extractors
- ◆ **Parameters:** $(K_1 \times K_2 + 1) * M$ where M is number of features we want to learn





Idea 3: Learn Many Features

This operation is **extremely common** in electrical/computer engineering!



From <https://en.wikipedia.org/wiki/Convolution>

This operation is **extremely common** in electrical/computer engineering!




From <https://en.wikipedia.org/wiki/Convolution>

This operation is **extremely common** in electrical/computer engineering!

In mathematics and, in particular, functional analysis, **convolution** is a mathematical operation on two functions f and g producing a third function that is typically viewed as a modified version of one of the original functions, giving the area overlap between the two functions as a function of the amount that one of the original functions is translated.

Convolution is similar to **cross-correlation**.

It has **applications** that include probability, statistics, computer vision, image and signal processing, electrical engineering, and differential equations.



Visual comparison of **convolution** and **cross-correlation**.

From <https://en.wikipedia.org/wiki/Convolution>

Notation:

$$F \otimes (G \otimes I) = (F \otimes G) \otimes I$$

1D Convolution

$$y_k = \sum_{n=0}^{N-1} h_n \cdot x_{k-n}$$

$$y_0 = h_0 \cdot x_0$$

$$y_1 = h_1 \cdot x_0 + h_0 \cdot x_1$$


$$y_2 = h_2 \cdot x_0 + h_1 \cdot x_1 + h_0 \cdot x_2$$

$$y_3 = h_3 \cdot x_0 + h_2 \cdot x_1 + h_1 \cdot x_2 + h_0 \cdot x_3$$

\vdots

$$K = \begin{bmatrix} -1 & 0 & 1 \\ -2 & 0 & 2 \\ -1 & 0 & 1 \end{bmatrix}$$

2D Convolution



2D Discrete Convolution


2D Convolution

Image



Kernel
(or filter)

$$K = \begin{bmatrix} -1 & 0 & 1 \\ -2 & 0 & 2 \\ -1 & 0 & 1 \end{bmatrix}$$



Output /
filter /
feature map



2D Discrete Convolution

We will make this convolution operation **a layer** in the neural network

- Initialize kernel values randomly and optimize them!
- These are our parameters (plus a bias term per filter)


2D Convolution

Image



Kernel
(or filter)


$$K = \begin{bmatrix} -1 & 0 & 1 \\ -2 & 0 & 2 \\ -1 & 0 & 1 \end{bmatrix}$$





Output /
filter /
feature map



1. Flip kernel (rotate 180 degrees)



2. Stride along image



$$y(r, c) = (x * k)(r, c) = \sum_{a=-\frac{H-1}{2}}^{\frac{H-1}{2}} \sum_{b=-\frac{W-1}{2}}^{\frac{W-1}{2}} x(a, b) k(r - a, c - b)$$

$$\left(-\frac{H-1}{2}, -\frac{W-1}{2} \right)$$



$W = 5$

$$\left(\frac{H-1}{2}, \frac{W-1}{2} \right)$$


$(0, 0)$

$k_1 = 3$



$k_2 = 3$

$(k_1 - 1, k_2 - 1)$



$$y(0, 0) = x(-2, -2)k(2, 2) + x(-2, -1)k(2, 1) + x(-2, 0)k(2, 0) + x(-2, 1)k(2, -1) + x(-2, 2)k(2, -2) + \dots$$

$$y(r, c) = (x * k)(r, c) = \sum_{a=-\frac{K_1-1}{2}}^{\frac{k_1-1}{2}} \sum_{b=-\frac{k_2-1}{2}}^{\frac{k_2-1}{2}} x(r-a, c-b) k(a, b)$$

(0, 0)

$H = 5$



$W = 5$

$(H-1, W-1)$


$(-\frac{k_1-1}{2}, -\frac{k_2-1}{2})$

$k_1 = 3$



$k_2 = 3$

$(\frac{k_1-1}{2}, \frac{k_2-1}{2})$



Centering Around the Kernel

As we have seen:

- ◆ **Convolution:** Start at end of kernel and move back
- ◆ **Cross-correlation:** Start in the beginning of kernel and move forward (same as for image)

An **intuitive interpretation** of the relationship:


- ◆ Take the kernel, and rotate 180 degrees along center (sometimes referred to as “flip”)
- ◆ Perform cross-correlation
- ◆ (Just dot-product filter with image!)

$$K = \begin{bmatrix} 1 & 2 & 3 \\ 4 & 5 & 6 \\ 7 & 8 & 9 \end{bmatrix}$$



$$K' = \begin{bmatrix} 9 & 8 & 7 \\ 6 & 5 & 4 \\ 3 & 2 & 1 \end{bmatrix}$$

$$y(r, c) = (x * k)(r, c) = \sum_{a=0}^{k_1-1} \sum_{b=0}^{k_2-1} x(r + a, c + b) k(a, b)$$



Since we will be learning these kernels, this change does not matter!


$$X(0:2,0:2) = \begin{bmatrix} 200 & 150 & 150 \\ 100 & 50 & 100 \\ 25 & 25 & 10 \end{bmatrix}$$



$$K' = \begin{bmatrix} 1 & 0 & -1 \\ 2 & 0 & -2 \\ 1 & 0 & -1 \end{bmatrix}$$





$$X(0:2,0:2) \cdot K' = 65 + \text{bias}$$

Dot product
(element-wise multiply and sum)









Convolution and Cross-Correlation





Convolution and Cross-Correlation



Convolution and Cross-Correlation



Convolution and Cross-Correlation



Convolution and Cross-Correlation

Why Bother with Convolutions?

Convolutions are just **simple linear operations**

Why bother with this and not just say it's a linear layer with small receptive field?

- ◆ There is a **duality** between them during backpropagation
- ◆ Convolutions have **various mathematical properties** people care about
- ◆ This is **historically** how it was inspired



Input & Output Sizes

Convolution Layer Hyper-Parameters

Parameters

- **in_channels** (*int*) – Number of channels in the input image
- **out_channels** (*int*) – Number of channels produced by the convolution
- **kernel_size** (*int or tuple*) – Size of the convolving kernel
- **stride** (*int or tuple, optional*) – Stride of the convolution. Default: 1
- **padding** (*int or tuple, optional*) – Zero-padding added to both sides of the input. Default: 0
- **padding_mode** (*string, optional*) – 'zeros', 'reflect', 'replicate' or 'circular'. Default: 'zeros'

Convolution operations have several hyper-parameters

From: <https://pytorch.org/docs/stable/generated/torch.nn.Conv2d.html#torch.nn.Conv2d>

Output size of vanilla convolution operation is $(H - k_1 + 1) \times (W - k_2 + 1)$

◆ This is called a “**valid**” convolution and only applies kernel within image

$(0, 0)$




$H = 5$

$W = 5$ $(H - 1, W - 1)$


$(0, 0)$

$k_1 = 3$



$k_2 = 3$ $(k_1 - 1,$
 $k_2 - 1)$

$H - k_1 + 1$






$W - k_2 + 1$

Valid Convolution

We can **pad the images** to make the output the same size:


- ◆ Zeros, mirrored image, etc.
- ◆ Note padding often refers to pixels added to **one size** ($P = 1$ here)



We can move the filter along the image using larger steps (**stride**)

- This can potentially result in **loss of information**
- Can be used for **dimensionality reduction** (not recommended)


Stride = 2 (every other pixel)



$$\begin{matrix} (H - k_1)/2 + 1 \\ (W - k_2)/2 + 1 \end{matrix}$$

Stride


Stride can result in **skipped pixels**, e.g. stride of 3 for 5x5 input




Invalid Stride

We have shown inputs as a **one-channel image** but in reality they have three channels (red, green, blue)


🟡 In such cases, we have **3-channel kernels!**



Image




Kernel



Feature Map

We have shown inputs as a **one-channel image** but in reality they have three channels (red, green, blue)

- ◆ In such cases, we have **3-channel kernels!**




Similar to before, we perform **element-wise multiplication** between kernel and image patch, summing them up (**dot product**)

- ◆ Except with $k_1 * k_2 * 3$ values

We can have **multiple kernels per layer**

- ◆ We stack the feature maps together at the output

Number of channels in output is equal to *number of kernels*




Multiple Kernels

Number of parameters with N filters is: $N * (k_1 * k_2 * 3 + 1)$

Example:


$k_1 = 3, k_2 = 3, N = 4$ input channels = 3, then $(3 * 3 * 3 + 1) * 4 = 112$



Number of Parameters

Just as before, in practice we can **vectorize** this operation


- Step 1: Lay out image patches in vector form (note can overlap!)



Adapted from: <https://petewarden.com/2015/04/20/why-gemm-is-at-the-heart-of-deep-learning/>

Just as before, in practice we can **vectorize** this operation

- Step 2: Multiple patches by kernels



Adapted from: <https://petewarden.com/2015/04/20/why-gemm-is-at-the-heart-of-deep-learning/>

- ◆ We will have a new layer: Convolution layer
 - ◆ Mathematical way of representing a strided filter
 - ◆ Equivalent view: Each output node is connected to window, not all input pixels
 - ◆ Kernels/filters/features are learned
 - ◆ Implementation is actually cross-correlation! (but it doesn't matter)
- ◆ Next time: How do we compute the gradients across this layer?
 - ◆ Need to reason about what input/weight pixel is affecting what output pixel!